

# COLCRYS-PST

---

## Products Affected

### Step 1:

- Mitigare 0.6 mg capsule

### Step 2:

- Colcrys 0.6 mg tablet

## Details

---

<b>Criteria</b>	If the patient has tried one Step 1 product, authorization for a Step 2 product may be given. Exceptions can be made for a step 2 drug (without a trial of a step 1 drug) for the treatment of Familial Mediterranean Fever and for the treatment of gout flares (i.e, prophylaxis of gout flares requires a trial of a step 1 drug).
-----------------	---

# HIGH RISK MEDICATIONS - SEDATIVE HYPNOTICS

---

## Products Affected

### Step 1:

- Rozerem 8 mg tablet

### Step 2:

- eszopiclone 1 mg tablet
- eszopiclone 2 mg tablet
- eszopiclone 3 mg tablet
- zaleplon 10 mg capsule
- zaleplon 5 mg capsule
- zolpidem 10 mg tablet
- zolpidem 5 mg tablet
- zolpidem ER 12.5 mg tablet, extended release, multiphase
- zolpidem ER 6.25 mg tablet, extended release, multiphase

## Details

---

<b>Criteria</b>	If the patient has tried a Step 1 drug, then authorization for a Step 2 drug may be given. This step therapy program applies to patients greater than 64 years of age only. Authorization for a step 2 drug may be given in patients aged less than 65 years.
-----------------	---

---

## TOPICAL NSAIDS

---

### Products Affected

#### Step 1:

- celecoxib 100 mg capsule
- celecoxib 200 mg capsule
- celecoxib 400 mg capsule
- celecoxib 50 mg capsule
- diclofenac 1 % topical gel
- diclofenac 1.5 % topical drops
- diclofenac 50 mg-misoprostol 200 mcg tablet,immed.and delayed release
- diclofenac 75 mg-misoprostol 200 mcg tablet,immediate,delayed release
- diclofenac ER 100 mg tablet,extended release 24 hr
- diclofenac potassium 50 mg tablet
- diclofenac sodium 25 mg tablet,delayed release
- diclofenac sodium 50 mg tablet,delayed release
- diclofenac sodium 75 mg tablet,delayed release
- etodolac 200 mg capsule
- etodolac 300 mg capsule
- etodolac 400 mg tablet
- etodolac 500 mg tablet
- etodolac ER 400 mg tablet,extended release 24 hr
- etodolac ER 500 mg tablet,extended release 24 hr
- etodolac ER 600 mg tablet,extended release 24 hr
- fenoprofen 600 mg tablet
- flurbiprofen 100 mg tablet
- flurbiprofen 50 mg tablet
- IBU 600 mg tablet
- IBU 800 mg tablet
- ibuprofen 100 mg/5 mL oral suspension
- ibuprofen 400 mg tablet
- ibuprofen 600 mg tablet
- ibuprofen 800 mg tablet
- ketoprofen 50 mg capsule
- ketoprofen 75 mg capsule
- ketoprofen ER 200 mg 24 hr capsule,extended release
- meclofenamate 100 mg capsule
- meclofenamate 50 mg capsule
- mefenamic acid 250 mg capsule
- meloxicam 15 mg tablet
- meloxicam 7.5 mg tablet
- nabumetone 500 mg tablet
- nabumetone 750 mg tablet
- naproxen 125 mg/5 mL oral suspension
- naproxen 250 mg tablet
- naproxen 375 mg tablet
- naproxen 375 mg tablet,delayed release
- naproxen 500 mg tablet
- naproxen 500 mg tablet,delayed release
- naproxen sodium 275 mg tablet
- naproxen sodium 550 mg tablet
- naproxen sodium ER 375 mg tablet,extended release 24hr mphase
- naproxen sodium ER 500 mg tablet,extended release 24hr mphase
- oxaprozin 600 mg tablet
- piroxicam 10 mg capsule
- piroxicam 20 mg capsule
- ProFeno 600 mg tablet
- sulindac 150 mg tablet
- sulindac 200 mg tablet
- tolmetin 400 mg capsule
- tolmetin 600 mg tablet

#### Step 2:

- Voltaren 1 % topical gel

## Details

<b>Criteria</b>	If the patient has tried two Step 1 drugs, then authorization for a Step 2 drug may be given. Authorization may be given for Voltaren Gel for patients with difficulty swallowing or cannot swallow. Authorization may be given for Voltaren Gel for patients with a chronic musculoskeletal pain condition (eg, osteoarthritis) in 3 or fewer joints/sites (ie, hand, wrist, elbow, knee, ankle, or foot each count as 1 joint/site) who are at risk of NSAID-associated toxicity (eg, previous gastrointestinal [GI] bleed, history of peptic ulcer disease, impaired renal function, cardiovascular disease, hypertension, heart failure, elderly patients with impaired hepatic function, or those taking concomitant anticoagulants). Authorization may be given for Voltaren Gel for patients greater than or equal to 75 years of age with hand or knee osteoarthritis.
-----------------	--

# ULORIC

---

## Products Affected

### Step 1:

- allopurinol 100 mg tablet
- allopurinol 300 mg tablet

### Step 2:

- Uloric 40 mg tablet
- Uloric 80 mg tablet

## Details

---

<b>Criteria</b>	If the patient has tried a Step 1 drug then authorization for a Step 2 drug may be given. Authorization may be given for Uloric if the patient has renal insufficiency or decreased renal function. Authorization may be given for Uloric if the patient is receiving concomitant medications that have significant drug-drug interactions with allopurinol, which are not noted with Uloric (eg, cyclosporine, chlorpropamide).
-----------------	--

## Index

### A

allopurinol 100 mg tablet ..... 5  
allopurinol 300 mg tablet ..... 5

### C

celecoxib 100 mg capsule ..... 3, 4  
celecoxib 200 mg capsule ..... 3, 4  
celecoxib 400 mg capsule ..... 3, 4  
celecoxib 50 mg capsule ..... 3, 4  
Colcrys 0.6 mg tablet ..... 1

### D

diclofenac 1 % topical gel ..... 3, 4  
diclofenac 1.5 % topical drops ..... 3, 4  
diclofenac 50 mg-misoprostol 200 mcg  
tablet,imed.and delayed release ..... 3, 4  
diclofenac 75 mg-misoprostol 200 mcg  
tablet,immediate,delayed release ..... 3, 4  
diclofenac ER 100 mg tablet,extended  
release 24 hr ..... 3, 4  
diclofenac potassium 50 mg tablet ..... 3, 4  
diclofenac sodium 25 mg tablet,delayed  
release ..... 3, 4  
diclofenac sodium 50 mg tablet,delayed  
release ..... 3, 4  
diclofenac sodium 75 mg tablet,delayed  
release ..... 3, 4

### E

eszopiclone 1 mg tablet ..... 2  
eszopiclone 2 mg tablet ..... 2  
eszopiclone 3 mg tablet ..... 2  
etodolac 200 mg capsule ..... 3, 4  
etodolac 300 mg capsule ..... 3, 4  
etodolac 400 mg tablet ..... 3, 4  
etodolac 500 mg tablet ..... 3, 4  
etodolac ER 400 mg tablet,extended release  
24 hr ..... 3, 4  
etodolac ER 500 mg tablet,extended release  
24 hr ..... 3, 4  
etodolac ER 600 mg tablet,extended release  
24 hr ..... 3, 4

### F

fenoprofen 600 mg tablet ..... 3, 4  
flurbiprofen 100 mg tablet ..... 3, 4  
flurbiprofen 50 mg tablet ..... 3, 4

### I

IBU 600 mg tablet ..... 3, 4  
IBU 800 mg tablet ..... 3, 4  
ibuprofen 100 mg/5 mL oral suspension 3, 4  
ibuprofen 400 mg tablet ..... 3, 4  
ibuprofen 600 mg tablet ..... 3, 4  
ibuprofen 800 mg tablet ..... 3, 4

### K

ketoprofen 50 mg capsule ..... 3, 4  
ketoprofen 75 mg capsule ..... 3, 4  
ketoprofen ER 200 mg 24 hr  
capsule,extended release ..... 3, 4

### M

meclofenamate 100 mg capsule ..... 3, 4  
meclofenamate 50 mg capsule ..... 3, 4  
mefenamic acid 250 mg capsule ..... 3, 4  
meloxicam 15 mg tablet ..... 3, 4  
meloxicam 7.5 mg tablet ..... 3, 4  
Mitigare 0.6 mg capsule ..... 1

### N

nabumetone 500 mg tablet ..... 3, 4  
nabumetone 750 mg tablet ..... 3, 4  
naproxen 125 mg/5 mL oral suspension . 3, 4  
naproxen 250 mg tablet ..... 3, 4  
naproxen 375 mg tablet ..... 3, 4  
naproxen 375 mg tablet,delayed release . 3, 4  
naproxen 500 mg tablet ..... 3, 4  
naproxen 500 mg tablet,delayed release . 3, 4  
naproxen sodium 275 mg tablet ..... 3, 4  
naproxen sodium 550 mg tablet ..... 3, 4  
naproxen sodium ER 375 mg  
tablet,extended release 24hr mphase... 3, 4  
naproxen sodium ER 500 mg  
tablet,extended release 24hr mphase... 3, 4

### O

oxaprozin 600 mg tablet ..... 3, 4

### P

piroxicam 10 mg capsule ..... 3, 4  
piroxicam 20 mg capsule ..... 3, 4  
ProFeno 600 mg tablet ..... 3, 4

### R

Rozerem 8 mg tablet ..... 2

### S

sulindac 150 mg tablet ..... 3, 4

sulindac 200 mg tablet ..... 3, 4

**T**

tolmetin 400 mg capsule ..... 3, 4

tolmetin 600 mg tablet ..... 3, 4

**U**

Uloric 40 mg tablet ..... 5

Uloric 80 mg tablet ..... 5

**V**

Voltaren 1 % topical gel ..... 3, 4

**Z**

zaleplon 10 mg capsule ..... 2

zaleplon 5 mg capsule ..... 2

zolpidem 10 mg tablet ..... 2

zolpidem 5 mg tablet ..... 2

zolpidem ER 12.5 mg tablet,extended  
release,multiphase ..... 2

zolpidem ER 6.25 mg tablet,extended  
release,multiphase ..... 2